



Helena Filipe¹, Diana Silva², Luís F. V. Pinto^{3,4}, José Henriques^{5,6}, Dimitriya Bozukova⁷, Benilde Saramago², Ana Paula Serro^{2,8}

¹ Hospital das Forças Armadas, Department of Surgery, Ophtalmology, Lisboa, Portugal

² Instituto Superior Técnico, Centro de Química Estrutural, Universidade de Lisboa, Lisboa, Portugal.

³ Altakitin S.A., Lisboa, Portugal.

⁴ CENIMAT/I3N, Departamento de Ciência dos Materiais, Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.

⁵ Instituto Dr. Gama Pinto, Retina Cirúrgica, Lisboa, Portugal

⁶ Instituto da Retina e Diabetes Ocular de Lisboa, Portugal

⁷ PhysIOL sa/nv, Liège Science Park, Liège, Belgium.


⁸ Instituto Superior de Ciências da Saúde Egas Moniz, CIIEM, Campus Universitário, Caparica, Portugal.

Introduction

Eye drops are the most common form of ophthalmic treatment. However, these administration approach requires high drug doses which may promote undesired systemic side effects [1, 2]. Contact lenses (CLs) have been subject to an increasing interest in the past few years, being promoted as an advantageous ophthalmic therapeutic method. Their biocompatibility and prolonged contact with the eye show their effective use as a drug delivery material [2]. Nevertheless, the majority of the loaded drug in the CLs tends to be released in an initial burst.

In the present work surface modification by layer-by-layer (LbL) self-assembly process based in chitosan-alginate multilayers to control the drug release from commercially available CLs materials (Definitive 50 from Contamac Products U.K.).

Methods



Results

Drug release




Figure 1. Cumulative release profiles of diclofenac from the CLs uncoated and coated with Al-Ch LBL.



The drug release profile improved significantly due to the presence of the chitosan/alginate layer
Retarding the release almost 6 times, leading to a controlled release for ≈ 3 days

Conclusions

The drug release profile improved significantly due to the presence of the chitosan/alginate layer: it allowed retarding the release almost 6 times, leading to a controlled release for ≈ 3 days.

References:

- [1] Braga M. *et al.* (2011) *International Journal of Pharmaceutics* **420** (231-243).
- [2] Xu J., *et al.* (2014) *Acta Biomaterialia* **6** (486-493).

Acknowledgements:

The authors thank Fundação para a Ciência e a Tecnologia for Diana Silva PhD Grant (PD/BD/114088/2015), and for funding through the projects UID/QUI/00100/2013 and M-ERA.NET/0005/2012.

